

TYPE	EPN	DESCRIPTION	PRICE / EA
Misc parts	25-0001-00	CZPT390; Cable and socket assembly	68.95
	30-0001-00	IO Board; Mark II I/O Board 7034404-03	235.87
	30-0002-00	MC1Z; Mark II Processor Board MC1Z for EM C2000 7034402-02	194.67
	30-0003-00	MC1Z; Mark II Processor Board MC1Z w/Down pin Connectors for EM C2000 7034402-03	204.97
	32-7610-00	P761; Potentiometer 10 Kohm	14.86
	33-5063-00	47 MFD; Capacitor Electrolytic Axial Lead 47 Mfd 50V	3.78
	34-1080-00	NSL7120 Cad Cell (CL1080)	22.18
	34-2030-00	P1188 Phototransistor NPN TO 18 80 deg Flat lens	Call Factory
	34-7030-00	NSL3540 Cad Cell (CL703)	22.18
	34-7031-00	NSL3510 Cad Cell (CL703L) OBSOLETE – REPLACED BY 34-7035-00	22.18
	34-7032-00	NSL3530 Cad Cell (CL703A)	30.77
	34-7035-00	7003 Photocell (replaces CL703L NSL3510)	22.18
	34-7040-00	NSL6530 Cad Cell (CL704)	22.18
	34-7050-00	CL705HL Cad Cell	22.18
	34-7070-00	NSL5540 Cad Cell (CL707HM)	22.18
	34-7071-00	VT302L Cad Cell (CL707HL)	22.18
	34-7540-00	Socket	19.20
	34-7910-00	NSL7910 Cad Cell (CL5M7)	22.18
	35-1002-01	#10 Lamp ()	26.52
	35-1000-02	#10 Lamp LED Replacement base	27.32
	35-1200-01	#12 Lamp ()	5.01
	35-1500-00	#15 Lamp	8.22
	35-1900-00	#19 Lamp	Call Factory
	35-2530-00	#253 Lamp	32.91
	35-3770-00	P377 Bracket Lamp	8.59
	35-4170-00	P417 Lamp Bracket	15.73
	35-4510-00	P451 Lamp Socket	Call Factory
	35-8800-01	#88L Lamp with Brass Calls	17.88
	36-1003-00	P1003 Lens Holder – Machined, Black Anodized	Call Factory
	36-1004-00	P1004 Cylinder Lens (for ELD31-W)	24.33
	36-2370-00	Mask for EAP; Mask For EAP.EL;	7.86
	36-2440-00	P244 Lens Assembly #11238 lens in P176-1 lens holder	67.90
	36-2450-00	P245 Lens Assy #11217 (P686) Lens in P176-1 Lens Holder to make Assy #11219	47.50
	36-2460-00	P246 Lens Assembly #11217 Lens in P176 Holder	24.33
	36-2460-01	P246-1 Lens Assembly #11217 Lens in P176-2 Holder	24.33
	36-2670-00	P267 Filter – Red .250" dia.	3.57
	36-3000-00	Lens – Plain Pyrex – For RX/RV unit	27.02
	36-4230-00	P423 Lens Assembly	47.94
	36-5270-00	P527 Lens Assembly	17.17
	36-6850-00	P685 Lens (11 x 13.3)	27.89
	36-6890-00	P689 Lens – 45x85 Beveled	36.82
	36-6890-01	P620 Lens (Painted Slot)	48.30
	36-6910-00	P691 Lens (26 x 42)	20.73
	36-6920-00	P692 Lens (1 x 1)	20.73
	36-6930-00	P693 Lens (11 x 69)	3.92
36-8290-00	P829 Lens, Plano Convex	28.60	
36-8870-00	P887 Red Filter	1.90	

HARDWARE	36-8910-00	P891 Lens	59.41
	36-9130-00	P913 Lens Assembly #11217 Lens in P176-3 Lens Holder	24.33
	36-9170-00	P917 Filter – Red Mtl: #2324 Plexiglas no protective paper on either side	1.90
	36-9210-00	P921 Lens – Dual Convex Acrylic, .81” Focal Length	18.25
	37-3050-00	P305 Dri-Seal (Black Silicone Protector Boot)	11.44
	37-8340-00	P834 Cover Gasket	5.01
	38-1030-00	P1030-6 Plug Assembly	83.81
	38-1030-01	P1030-12 Plug Assembly, 12ft A2 Series Controls Cable Assembly	132.87
	38-1180-00	P1180-6; P1180 Plug Assembly 5 Pin with 6' Cord	147.30
	38-1180-30	CZPT390; P1180 Plug Assembly 5 Pin with 30' Cord	387.60
REFLECTORS	42-2000-00	2000X; 3000X Reflective Tape (Inch)	1.93
	42-3800-00	P380 Reflector 2” Wide, 3” Dia.	7.86
	42-3800-01	P380MH Reflector Clear, 3” Dia. (Metal Housing)	10.72
	42-3801-00	P380A Reflector Clear, 1-5/8” Dia.	7.86
	42-3802-00	P380AB Reflector Clear, 1-1/4” Dia.	6.44
	42-3803-00	P380B Reflector Clear, 7/8” Dia.	6.09
	42-3804-00	P380C Reflector Clear, 5/8” Dia.	5.73
	42-3805-00	P380E Reflector Clear, 1-1/4” x 3” Rectangle	5.73
	42-3806-00	P380F Reflector Clear, 1-1/4” x 4-1/2” w/2 Mounting Holes	6.44
	42-3827-20	CZPT390; Reflector Yellow, 1-3/4” x 2-1/2” Rectangle	26.92
	42-3870-00	3870; 983-10 Reflective Tape (Inch), 2” Wide (replaces 3870 which is obsolete)	1.93
	HARDWARE	42-7080-00	P708 Mirror
44-1013-00		P1013 Electronic Counter	Call Factory
44-1013-01		P1104 Base Mount Kit	Call Factory
44-1021-00		P1021 Transformer 120 VAC/60Hz Primary	Call Factory
44-2000-00		P200 Plug-in Relay	58.35
44-2750-01		P275-1 Transformer	32.53
44-2860-00		P286 Transformer	50.07
44-3030-00		P303 Relay	60.47
44-3470-00		P347 Transformer	337.84
44-7040-00		P704 Plug-in Relay 502-2CY-475 OHM Coil, 9VDC Pull in	44.35
44-7880-00		P788 Current Transformer	157.60
44-8460-00		P846 Plug-in Relay	27.18
44-8470-00		P847 Socket Relay	10.33
45-1193-00		P1193 Weather Shield	29.34
45-1290-02		P129-2 Bracket	9.22
45-3040-00		P304 Liquid Level Electrode	117.42
45-3090-00		P309 Rod	7.86
45-5900-00		P590 Spring .578 OD x 2” Black Oxide	6.80
45-5900-01		P590-1 Spring	6.80
45-8750-00		P875 Universal Swivel Bracket Assembly	16.46
45-9390-00		P939 Bracket Assembly	16.46
45-9600-00		P960 Weather Shield	32.18
45-9610-00		P961 Flange Mount Bracket Assembly	25.42
46-1027-00		P1027 NEMA 12 Enclosure (for C Series)	301.80
46-1027-01		Sub Panel for NEMA 12 & 13 Enclosure	16.12
46-1028-00		NEMA 13 Enclosure	166.86
46-2090-00		P209 NEMA 12 Enclosure	181.28
46-9840-00		P1099 NEMA 1 Enclosure, 8” x 8” x 6”	126.70

TIMING CARDS

50-1010-00	F101 Function Card, ON/OFF	124.63
50-1011-00	F1101 Function Card, ON/OFF, High Sensitivity	124.63
50-1100-00	T110 Function Card, .1-10 Second Timing Range	154.50
50-1136-00	T1136 Dual Timer Function Card (OBSOLETE)	337.84
50-1200-00	T120 Function Card, One Shot, .1-10 Second Timing Range	178.20
50-1600-00	T160 Function Card, .1-10 Second Timing Range	157.60
50-1630-00	T163 Function Card, .01-10 Second Timing Range	157.60
50-1650-00	T165 Function Card, .02-2.5, Second Timing Range	157.60
50-1672-00	T2167 Function Card, Fast Response, .2-23 Second Timing Range	166.86
50-1677-00	T2162 Function Card, Fast Response, .005-5 Time Range	166.86
50-2010-01	F201W Function Card	219.40
50-2100-01	T210W Function Card	169.95
50-3000-00	T300 Function Card, Five Function Timer, .1-10 Second Timing Range	128.75
50-3060-00	T306 Function Card, Five Function Timer, .04-5 Second Timing Range	128.75
50-3100-00	T310 Function Card, Single Timer ON Delay, .1-10 Second Timing Range	62.59
50-3130-00	T313 Function Card, Single Timer ON Delay, .01-1 Second Timing Range	62.59
50-3150-00	T315 Function Card, Single Timer ON Delay, .02-2.5 Second Timing Range	62.59
50-3160-00	T316 Function Card, Single Timer ON Delay, .04-5 Second Timing Range	62.59
50-3170-00	T317 Function Card, Single Timer ON Delay, .2-23 Second Timing Range	62.59
50-3170-01	T955 Function Card, Single Timer ON Delay	71.08
50-3180-00	T318 Function Card, .9-90 Second Timing Range	62.59
50-3200-00	T320 Function Card, One-Shot Timer OFF Delay, .1-10 Second Timing Range	79.57
50-3220-00	T322 Function Card, One-Shot Timer OFF Delay, .005-5 Second Timing Range	79.57
50-3230-00	T323 Function Card, One-Shot Timer OFF Delay, .01-1 Second Timing Range	79.57
50-3250-00	T325 Function Card, One-Shot Timer OFF Delay, .02-2.5 Second Timing Range	79.57
50-3260-00	T326 Function Card, One-Shot Timer OFF Delay, .04-5 Second Timing Range	79.57
50-3270-00	T327 Function Card, One-Shot Timer OFF Delay, .2-23 Second Timing Range	79.57
50-3280-00	T328 Function Card, One-Shot Timer OFF Delay, .9-90 Second Timing Range	95.48
50-3300-00	T330 Function Card, Dual Timer ON & OFF Delay, .1-10 Second Timing Range	105.06
50-3350-00	T335 Function Card, Dual Timer ON & OFF Delay, .02-2.5 Second Timing Range	105.06
50-3370-00	T337 Function Card, Dual Timer ON & OFF Delay, .2-23 Second Timing Range	105.06
50-3380-00	T338 Function Card, Dual Timer ON & OFF Delay, .9-90 Second Timing Range	105.06
50-3420-00	T342 Card Function, Batch Counter, .005-5 Second Range (Obsolete as of 07-21-2012) ,	Call Factory
50-3480-00	T348 Function Card, Externally Clocked Shift Register, .9-90 Second Timing Range	140.08
50-3490-00	T349 Function Card, Toggle Batch Counter (Obsolete as of 07-21-2012)	Call Factory
50-3600-00	T360 Function Card, Single Timer OFF Delay, .1-10 Second Timing Range	62.59
50-3630-00	T363 Function Card, Single Timer OFF Delay, .01-1 Second Timing Range	62.59
50-3650-00	T365 Function Card, Single Timer OFF Delay, .02-2.5 Second Timing Range	62.59
50-3660-00	T366 Function Card, Single Timer OFF Delay, .04-5 Second Timing Range	62.59
50-3670-00	T367 Function Card, Single Timer OFF Delay, .2-23 Second Timing Range	62.59
50-3680-00	T368 Function Card, Single Timer OFF Delay, .9-90 Second Timing Range	78.50
50-3700-00	T370 Function Card, Delayed One-Shot Timer, .1-10 Second Timing Range	117.42
50-3720-00	T372 Function Card, Delayed One-Shot Timer, .005-.5 Second Timing Range	117.42
50-3750-00	T375 Function Card, Delayed One-Shot Timer, .02-2.5 Second Timing Range	117.42
50-3760-00	T376 Function Card, Delayed One-Shot Timer, .04-5 Second Timing Range	119.48
50-3770-00	T377 Function Card, Delayed One-Shot Timer, .2-23 Second Timing Range	117.42
50-3770-01	T377 Function Card with Digital Pot	259.56
50-3770-02	T377 Function Card with Wire Leads for External Pot	117.42
50-3780-00	T378 Function Card, Delayed One-Shot Timer, .9-90 Second Timing Range	112.27
50-3800-00	T380 Function Card, Shift Register, .1-10 Second Timing Range	117.42
50-3850-00	T385 Function Card, Shift Register, .02-2.5 Second Timing Range	117.42
50-3900-00	T390 Function Card, Over/Under Speed Detector, .1-10 Second Timing Range	108.15

	50-3920-00	T392 Function Card, Over/under Speed Detector, .005-5 Second Timing Range	105.06
	50-3990-00	T399 Function Card, Output Latch	62.59
	50-4133-02	T1332 Function Card	117.42
	50-4320-00	T3200 Function Card, Long Delay One-Shot Timer, 30 Seconds-13 Minutes Timing Range	117.42
	50-4360-00	T3600 Function Card, Long Delay Single Timer, OFF Delay, 30 Seconds-13 Minutes Timing Range	117.42
	50-4362-00	T3602 Function Card, Long Delay Single Timer, 7 Seconds-3 Minutes Timing Range	117.42
	50-4363-00	T3603 Function Card, Long Delay Single Timer, 1 Minute-26 Minutes Timing Range	117.42
	50-4364-00	T3604 Function Card, Long Delay Single Timer, 2.5 Minutes-1 Hour Timing Range	117.42
	50-5790-00	A579C Circuit Board Assembly	Call Factory
	51-4900-00	P490 Lens Assembly	26.45
	52-1032-00	P1032 Plug-in Logic Module	50.07
	52-2740-02	P274-10S Cell Assembly	47.94
	52-2740-11	P274-10L Cell Assembly	47.94
	52-4000-00	CA4 Base	360.50
	52-9700-00	P970 Plug-in AC Switch (K)	75.32
	52-9710-00	P971 Plug-in Open-Collector Logic Module (G)	50.07
	52-9910-00	P991A Plug-in Opto-Isolated Logic Module (GA)	50.07
	63-1011-00	CA4-F1101-R Incandescent Control w/DPDT Relay (w/F1101 Function Card)	510.90
	63-1012-00	CA4-F101-R Incandescent Control w/DPDT Relay (w/F101 Function Card)	510.90
	63-1012-96	CA4-F2101A-LC Control	546.90
	63-1013-00	CA4-F2101-R Incandescent Control w/DPDT Relay (w/F2101 Function Card)	521.20
	63-1261-00	CA4-T126-R Incandescent Control w/DPDT Relay (w/T126 Function Card)	562.40
	63-1601-00	CA4-T160-R Incandescent Control w/DPDT Relay (w/T160 Function Card)	543.80
	63-1621-00	CA4-T162-R Incandescent Control w/DPDT Relay (w/T162 Function Card)	543.80
	63-1622-00	CA4-T2162-R Incandescent Control w/DPDT Relay (w/T2162 Function Card)	552.10
	63-1627-00	CA4-T2167-R Control with T2167 Function Card 2-23 Second Timer	552.10
	63-1651-00	CA4-T165-R Incandescent Control w/DPDT Relay (w/T165 Function Card)	543.80
	63-1661-00	CA4-T166-R Incandescent Control w/DPDT Relay (w/T166 Function Card)	543.80
	63-1671-00	CA4-T167-R Incandescent Control w/DPDT Relay (w/T167 Function Card)	543.80
	63-5791-00	A980 Control	358.44
SENSING HEADS	65-1001-00	EAP5BG Sensing Head	65.78
	65-1002-00	EAP12G Sensing Head	65.78
	65-1002-20	EAP12G Sensing Head w/20' Cable	79.57
	65-1003-00	EAP32 Sensing Head	60.47
	65-1003-02	A986 Sensing Head	65.78
	65-1003-03	A986 Sensing Head w/10' Cable	70.02
	65-1501-00	EAPS5BG Sensing Head	72.14
	65-2005-02	ECP10LC Head w/11 x 13.3 Lens	131.84
	65-2006-00	ECP10MC Sensing Head	104.03
	65-4004-00	EXPM10C Sensing Head	152.44
	65-4005-00	EXPM10LC Sensing Head	152.44
	65-4500-01	A893 Sensing Head	224.54
	65-5001-00	E1AP5BC Sensing Head	121.54
	65-5001-01	E1APL5BC Sensing Head	149.35
	65-5001-02	E1APLO5BC Sensing Head	158.62
	65-5004-00	E1AP10C Sensing Head	121.54
	65-5004-01	A992 Sensing Head	161.70
	65-5004-02	E1APL10C Sensing Head	149.35
	65-5005-00	E1AP10LC; E1AP10LC Sensing Head	121.54
	65-5005-01	E1APL10LC Sensing Head	158.62

65-5005-02	E1APLO10LC Sensing Head	158.62
65-5006-00	E1AP10MC Sensing Head	121.54
65-6001-00	E8AAP5BC Sensing Head	118.45
65-6005-00	E8AAP10LC Sensing Head	118.45
65-6204-00	E8AP10C Sensing Head	124.63
65-6204-01	A798C Sensing Head	146.26
65-6204-20	E8AP10C Sensing Head w/ 20' Cable	141.10
65-6205-00	E8AP10LC Sensing Head	124.63
65-6205-10	E8AP10LC Sensing Head w/ 10' Cable	129.78
65-6205-12	A826 Sensing Head w/ 12' Cable	141.10
65-6205-25	E8AP10LC Sensing Head w/ 25' Cable	147.30
65-6401-00	E8BAP5BC Sensing Head	121.54
65-6405-00	E8BAP10LC Sensing Head	121.54
65-6405-08	A656D Sensing Head w/ 4' Cable	129.78
65-6405-10	E8BAP10LC Sensing Head w/ 10' Cable	124.63
65-6601-00	E8BP5BC Sensing Head	121.54
65-6601-20	E8BP5BC Sensing Head w/ 20' Cable	135.96
65-6604-00	E8BP10C Sensing Head	121.54
65-6604-20	E8BP10C Sensing Head w/ 20' Cable	140.08
65-6605-00	E8BP10LC Sensing Head	121.54
65-6605-01	E8BP010LC Sensing Head	125.66
65-6605-06	E8BP10LJ Sensing Head	150.38
65-6805-00	E8ZP10L Sensing Head	256.47
66-1000-00	ELG Light Source Head	76.38
66-1003-00	EL32 Light Source Head	56.23
66-2000-00	ECC Light Source Head	110.20
66-5000-00	E1AE Light Source Head	314.15
66-6200-00	E8AC Light Source Head	139.05
66-6200-25	E8AC Light Source Head w/ 25' Cable	161.70
66-6201-00	E8A10C Light Source Head	139.05
66-6201-12	E8A10C Light Source Head w/ 12' Cable	140.08
66-6400-00	E8BAC Light Source Head	115.36
66-6400-01	L225B Light Source Head	135.96
66-6400-04	L195C Light Source Head w/ 4' Cable	160.68
66-6400-10	E8BAC Light Source Head w/ 10' Cable	120.50
66-6600-00	E8BC; E8BC Light Source Head	109.18
66-6600-20	E8BC Light Source Head w/ 20' Cable	124.63
66-6602-07	E8B12C-7 Light Source Head	124.63
66-6608-00	E8BC-6 Light Source Head	115.36
66-6609-00	E8BP5AC Sensing Head	240.00
66-6800-00	E8Z10 Light Source Head	256.47
66-6801-00	E8Z12 Light Source Head	256.47
71-3001-00	CNPT300 Liquid Level Control (CNPF303 w/T300 Function Card)	505.70
71-3030-00	CMPF303 Proximity Sensing Control	326.50
71-3031-00	CNPF303 Liquid Level Control	378.00
71-3031-03	CNWP303 Liquid Level Control 24V	404.80
71-3032-00	CJPF303 Surj-Switch Control	359.50
71-3032-02	CJDPF303 Surj-Switch Control 12 VDC	371.80
71-3100-00	CMPT310 Proximity Sensing Control (CMPF303 w/T310 Function Card)	388.30
71-3260-00	CMPT326 Proximity Sensing Control (CMPF303 w/T326 Function Card)	405.80
71-3420-06	CMPT342G Proximity Sensing Control w/Logic Output (CMPF303G w/T342 FunctionCard)	490.30

CONTROLLERS

71-3602-00	CJPT360 Surj-Switch Control (CJPF303 w/T360 Function Card)	422.30
71-3630-00	CMPT363 Proximity Sensing Control (CMPF303 w/T363 Function Card)	388.30
71-3652-00	CJPT365 Surj-Switch Control (CJPF303 w/T365 Function Card)	422.30
71-3672-00	CJPT367 Surj-Switch Control (CJPF303 w/T367 Function Card)	422.30
71-5790-01	A579D Transistor Control	716.90
71-9410-00	A941B DC Power and Relay Module	203.94
71-9410-02	A941B-T377 DC Power and Relay Module (A941B w/T377 Function Card)	321.36
71-9590-00	A959-0 Impak-Switch Control, .1 – 10 Second Timing Range	334.75
71-9591-00	A959-E-O Impak-Switch Control, .1 – 10 Second Timing Range, 230V	575.80
71-9592-00	A959-2 Impak-Switch Control, .005 - .5 Second Timing Range	334.75
71-9593-00	A959-3 Impak-Switch Control, .01 – 1 Second Timing Range	334.75
71-9595-00	A959-5 Impak-Switch Control, .02 – 2.5 Second Timing Range	334.75
72-3031-00	EM1 Proximity Sensor	124.63
72-3031-25	EM1 Proximity Sensor w/25' Cable	146.26
72-3034-25	EM4 Proximity Sensor w/25' Cable	150.38
72-3035-00	EM5 Proximity Sensor	124.63
72-7507-00	V Impak Pickup	690.10
75-2000-00	A20000 Retro-Reflective Control, 115VAC Input, ON/OFF	186.43
75-2000-01	A20000R Retro-Reflective Control, 115VAC, ON/OFF, Quik-Disconnect Receptade	230.70
75-2001-11	A20011R Retro-Reflective Control, 115VAC, On Del 1 – 20 Second, Quick Disc Receptade	267.80
75-2001-60	A20016 Control	223.50
75-2006-10	A20061 Retro-Reflective Control, 115VAC, Off Delay, 1 – 20 Second Timing Range	223.50
75-2006-11	A20061R Retro-Reflective Control, 115VAC, ON/OFF, 1 – 20 Second, Quick Disconnect Receptade	267.80
75-2006-60	A20066 Retro-Reflective Control, 115VAC, OFF Delay, 0.2 – 5 Second Timing Range	223.50
75-2100-00	A21000 Retro-Reflective Control, 115VAC, ON/OFF	223.50
75-2300-00	A23000 Retro-Reflective Control, 11-28VDC, ON/OFF	186.43
75-2302-60	A23026 Retro-Reflective Control, 11-28VDC, One Shot, 0.2 – 5 Second Timing Range	223.50
75-3020-00	RPT302 Retro-Reflective Control (RPF303 w/T302 Function Card)	487.20
75-3030-00	RPF303 Retro-Reflective Control, ON/OFF	361.50
75-3030-02	RDPF303 Retro-Reflective Control, 12VDC	374.90
75-3030-03	REPF303 Retro-Reflective Control, 220VAC	421.30
75-3030-04	RHPF303 Retro-Reflective Control w/Lens Heater	390.40
75-3030-05	RPF303K Retro-Reflective Control w/Plug-in AC Switch Output	407.90
75-3030-08	RTPF303 Retro-Reflective Control, 120VAC 50/60HZ	397.60
75-3030-09	RBPF303 Retro-Reflective Control, 24VAC	390.40
75-3030-24	RDHPF303 Retro-Reflective Control w/Lens Heater, 12VDC	403.80
75-3030-49	RBHPF303 Retro-Reflective Control, 24VAC w/Lens Heater	418.20
75-3030-99	RWPF303 Retro-Reflective Control, 24VDC	390.40
75-3100-00	RPT310 Retro-Reflective Control (RPF303 w/T310 Function Card)	424.40
75-3150-00	RPT315 Retro-Reflective Control (RPF303 w/T315 Function Card)	424.40
75-3170-00	RPT317 Retro-Reflective Control (RPF303 w/T317 Function Card)	424.40
75-3170-03	REPT317 Retro-Reflective Control, 220VAC (REPF303 w/T317 Function Card)	484.10
75-3171-00	A962 Control	423.30
75-3171-03	A962E Control	499.55
75-3171-04	A962 Control w/Lens Heater	452.20
75-3200-00	RPT320 Retro-Reflective Control (RPF303 w/T320 Function Card)	440.80
75-3200-04	RHPT320 Retro-Reflective Control w/ Lens Heater (RHPF303 w/T320 Function Card)	470.70
75-3250-04	RHPT325 Retro-Reflective Control w/Lens Heater (RHPF303 w/T325 Function Card)	470.70
75-3280-00	RPT328 Retro-Reflective Control (RPF303 w/T328 Function Card)	457.30
75-3280-08	RTPT328 Retro-Reflective Control, 120VAC 50/60HZ (RTPF303 w/T328 Function Card)	493.40

75-3300-00	RPT330 Retro-Reflective Control (RPF303 w/T330 Function Card)	466.40
75-3300-04	RHPT3300 Retro-Reflective Control w/Lens Heater (RHPPF303 w/T330 Function Card)	494.40
75-3300-08	RTPT330 Retro-Reflective Control, 120VAC 50/60HZ (RTPF303 w/T330 Function Card)	502.60
75-3301-00	RPT330 Retro-Reflective Control with 1/4" Mask	476.90
75-3370-00	RPT337 Retro-Reflective Control (RPF303 w/T337 Function Card)	466.60
75-3600-00	RPT360 Retro-Reflective Control (RPF303 w/T360 Function Card)	424.40
75-3600-03	REPT360 Retro-Reflective Control, 220VAC (REPF303 w/T360 Function Card)	484.10
75-3600-04	RHPT360 Retro-Reflective Control w/Lens Heater (RHPPF303 w/T360 Function Card)	452.20
75-3600-08	RTPT360 Retro-Reflective Control, 120VAC 50/60HZ (RTPF303 w/T360 Function Card)	459.40
75-3650-00	RPT365 Retro-Reflective Control (RPF303 w/T365 Function Card)	424.40
75-3660-00	RPT366 Retro-Reflective Control (RPF303 w/T366 Function Card)	424.40
75-3670-00	RPT367 Retro-Reflective Control (RPF303 w/T367 Function Card)	424.40
75-3680-00	RPT368 Retro-Reflective Control (RPF303 w/T368 Function Card)	439.80
75-3680-04	RHPT368 Retro-Reflective Control w/Lens Heater (RHPT303 w/T368 Function Card)	469.70
75-3700-00	RPT370 Retro-Reflective Control (RPF303 w/T370 Function Card)	476.90
75-3721-00	A973 Control	499.55
75-3750-00	RPT375 Retro-Reflective Control (RPF303 w/T375 Function Card)	469.70
75-4322-04	RHPT3202 Retro-Reflective Control w/Lens Heater (RHPPF303 w/T3202 Function Card)	506.80
75-8780-00	A878R Counting Control Pak "People Counter"	825.00
75-8780-01	A878R Counting Control Pak "People Counter" w/P961 Bracket & P380MH Reflector	839.50
75-8781-00	A878R-1 Control	914.60
76-1051-01	A979 Control	201.90
76-1052-02	A977A Control	245.14
76-1052-03	A976A Control	211.15
76-2010-00	A20100 Long Range Proximity Control, 115VAC, ON/OFF	186.43
76-2010-02	A20100R Long Range Proximity Control, 115VAC, ON/OFF, Quick-disconnect Receptade	230.70
76-2010-03	A989 Control	201.90
76-2011-60	A20116 Long Range Proximity Control, 115VAC, On Delay, 0.2 – 5 Second Timing Range	223.50
76-2020-00	A20200 Short Range Proximity Control, 115VAC, ON/OFF	196.73
76-2021-60	A20216 Short Range Proximity Control, 115VAC, On Delay, 0.2 – 5 Second Timing Range	223.50
76-2026-60	A20266 Short Range Proximity Control, 115VAC, Off Delay, 0.2 – 5 Second Timing Range	233.80
76-2110-00	A21100 Control, Long Range Proximity Control, 115VAC, ON/OFF	230.70
76-2120-00	A21200 Short Range Proximity Control, 115VAC, ON/OFF	233.80
76-2310-00	A23100 Long Range Proximity Control, 11-28VDC, ON/OFF	186.43
76-2310-01	A23101 Long Range Proximity Control, 11-28VDC, ON/OFF	186.43
76-2310-10	A32100 Long Range Proximity Control, 11-28VDC, ON/OFF with 10' Cable	191.58
76-2311-60	A23116 Long Range Proximity Control, 11-28VDC, ON/OFF, 0.2 - 5 Second Timing Range	223.50
76-2320-00	A23200 Short Range Proximity Control, 11-28VDC, ON/OFF	196.73
76-2320-10	A23200 Short Range Proximity Control, 11-28VDC, ON/OFF with 10' Cable	201.90
76-2420-00	A24200 Short Range Proximity Control, 11-28VDC, ON/OFF	216.30
76-3030-00	RXPF303 Proximity Photo Electric Control, 120VAC 60HZ 6' Range, Relay Output	397.60
76-3030-04	RXHPF303 Control	426.40
76-3031-00	RYPF303 Control	397.60
76-3031-04	RYHPF303 Control	426.40
76-3100-00	RXPT310 Proximity Control (RXPF303 w/T310 Function Card)	459.40
76-3101-00	RYPT310 Control	461.40
76-3101-04	RYHPT310 Control	487.20
76-3201-00	RYPT320 Control (RYPF303 Control w/T320 Function Card)	476.90
76-3301-00	CZPT390; RYPT330 Control	502.60
76-3601-00	RYPT360 Control	459.40
76-3701-00	RYPT370 Control	512.90

76-4040-00	RXPF303 Proximity Control, ON/OFF Operation, Elwood Version	397.60
76-4041-01	RYPF303C Proximity Control with Solid State Counter	825.00
77-2030-00	A20300 Through Beam Control, 115VAC, ON/OFF	194.67
77-2031-10	A20311 Control	194.67
77-2130-00	A21300 Through Beam Control, 115VAC, ON/OFF	223.50
77-2233-30	L22333 Through Beam Light Source Head	157.60
77-2330-00	A23300 Through Beam Control, 11-28VDC, ON/OFF	194.67
77-2533-30	L25333 Through Beam Light Source Head, DC	157.60
77-3030-00	RCPF303 Through Beam Long Range Control, ON/OFF Operation	331.66
77-3030-02	RCDPF303 Control	344.00
77-3030-03	RCEPF303 Through Beam Long Range Control, ON/OFF Operation, 230 Volt	347.10
77-3030-04	RCHPF303 Control	361.50
77-3030-07	RCHPF303GA Control	379.04
77-3030-08	RCTPF303 Control	367.70
77-3030-09	RCBPF303 Control	361.50
77-3030-24	RCDHPF303 Control	374.90
77-3030-49	RCBHPF303 Control	390.40
77-3030-50	RCDPF303D Daylight Sensing Control, 12 VDC	411.00
77-3030-51	RCPF303D Daylight Sensing Control, 120 VAC	411.00
77-3030-52	RCEPF303D Daylight Sensor, 230 Volt	438.80
77-3030-78	A988 Control	Call Factory
77-3030-88	A988A-S 12VDC Thru Beam Control, Sealed R-Series	594.30
77-3030-94	A967 Control	374.90
77-3030-98	A988A Control	481.00
77-3031-00	LRML Through Beam Long Range Light Source	225.57
77-3031-02	LRDML Light Source	256.47
77-3031-03	LREML Light Source, 220VAC 50/60HZ	285.30
77-3031-04	LRHML Through Beam Long Range Light Source with Heater	255.44
77-3031-08	LRTML Through Beam Long Range Light Source, 120VAC	261.60
77-3031-09	LRBML Through Beam Long Range Light Source, 24VAC	255.44
77-3031-14	LRAHML Light Source, 12VAC 50/60HZ, w/Lens Heater, Aluminum Case	285.30
77-3031-15	LRDHML Light Source, 12VDC, w/Lens Heater, Aluminum Case	285.30
77-3031-25	L257 Light Source	291.50
77-3031-49	LRBHML Through Beam Long Range Light Source with Heater, 24VAC	285.30
77-3031-88	L257-S Through Beam Light Source, 12VDC, Sealed R-Series	395.50
77-3031-94	L254 Light Source	269.86
77-3033-00	L255 Light Source	238.96
77-3033-95	L255EHR-11 Light Source	388.30
77-3033-96	L255HR-1 Light Source	327.54
77-3034-00	CZPT390; A978-1 Control	351.20
77-3034-04	A978H-1 Control	433.60
77-3034-93	CZPT390; A978EHR Control	493.40
77-3034-94	CZPT390; A978HR Control	433.60
77-3060-04	RCHPT306 Control	424.40
77-3060-24	RCDHPT306 Control	503.70
77-3100-00	RCPT310 Through Beam Long Range Control (RCPF303 w/T310 Function Card)	396.55
77-3171-00	A955 Control	409.90
77-3200-04	RCHPT320 Control	440.80
77-3300-00	RCPT330 Through Beam Long Range Control (RCPF303 w/T330 Function Card)	436.70
77-3300-04	RCHPT330 Control (RCHPF303 Control w/T330 Function Card)	466.60
77-3300-05	RCEPT330 Control with T330 Timing Card, 220VAC 50/60HZ	494.40
77-3600-00	RCPT360 Through Beam Long Range Control (RCPF303 w/T360 Function Card)	396.55

77-3600-04	RCHPT360 Control	424.40
77-3650-04	RCHPT365 Control	424.40
77-3660-04	RCHPT366 Control	424.40
77-4320-00	RCPT3200 Through Beam Long Range Control (RCPF303 w/T3200 Function Card)	448.05
77-9303-00	BLF303 Bin Level Control	459.40
77-9303-34	A937P-L (Pyrex & Red)	839.50
77-9303-40	BLF303 A-G-S Control	514.00
77-9303-50	BLF303-L Control	781.80
77-9303-51	BLF303-10.5 Control	544.90
77-9303-56	BLF303A-2-2 Bin Level Control 2" Rod, 2" Gap	630.40
77-9310-40	BLT310 A-G-S Control	578.90
77-9330-00	BLT330 Bin Level Control (BLF303 w/T330 Function Card)	562.40
77-9360-30	A937L-T360 Control (Lucite)	521.20
77-9432-51	BLT3200-10.5 Control	630.40
77-9436-00	BLT3600 Bin Level Control (BLF303 w/T3600 Function Card)	575.80
78-1000-00	Over height Detection Kit, 12 Volt DC	862.10
78-3030-00	CPF303 Modulated LED Control	326.50
78-3030-03	CEPF303 Modulated LED Control, 220 VAC	386.25
78-3030-05	CPF303K Modulated LED Control w/Plug-in AC Switch Output	373.90
78-3030-08	A942 Control	361.50
78-3030-09	CBPF303 Modulated LED Control, 24 VAC	353.30
78-3030-98	CTPF3033 Modulated LED Control, 120VAC 50/60HZ	361.50
78-3031-00	CZPF303 Special Feature Control, 120VAC 60HZ	360.50
78-3031-02	CZDPF303 Special Feature Control, 12VDC	372.86
78-3031-03	CZEPF303 Special Feature Control, 220VAC 50/60HZ	420.20
78-3031-06	CZPF303G Special Feature Control with Plug-in Logic Output	382.10
78-3031-08	CZTPF303 Special Feature Control, 120VAC 50/60HZ	396.55
78-3031-33	CZPT330 Control	466.60
78-3032-02	A949 Control	208.06
78-3100-00	CPT310 Modulated LED Control (CPF303 w/T310 Function Card)	388.30
78-3150-00	CPT315 Modulated LED Control (CPF303 w/T315 Function Card)	388.30
78-3200-00	CPT320 Modulated LED Control (CPF303 w/T320 Function Card)	405.80
78-3201-00	CZPT320 Control	439.80
78-3230-00	CPT323 Modulated LED Control (CPF303 w/T323 Function Card)	405.80
78-3250-00	CPT325 Modulated LED Control (CPF303 w/T325 Function Card)	405.80
78-3260-00	CPT326 Modulated LED Control (CPF303 w/T326 Function Card)	405.80
78-3300-00	CPT330 Modulated LED Control (CPF303 w/T330 Function Card)	431.60
78-3360-00	CPT336 Modulated LED Control (CPF303 w/T336 Function Card)	431.60
78-3380-00	CPT338 Modulated LED Control (CPF303 w/T338 Function Card)	462.50
78-3420-00	CPT342 Modulated LED Control (CPF303 w/T342 Function Card)	468.65
78-3420-05	CPT-342K Model CPT-342K Control	544.90
78-3600-00	CPT360 Modulated LED Control (CPF303 w/T360 Function Card)	388.30
78-3620-02	CDPT362 Modulated LED Control, 12 VDC (CDPF303 w/T362 Function Card)	402.70
78-3630-00	CPT363 Modulated LED Control (CPF303 w/T363 Function Card)	388.30
78-3650-00	CPT365 Modulated LED Control (CPF303 w/T365 Function Card)	388.30
78-3651-00	CZPT365 Control	423.30
78-3651-02	CZDT365 Control, 12 VDC (CZDPF303 w/T365 Function Card)	437.75
78-3660-00	CPT366 Modulated LED Control (CPF303 w/T366 Function Card)	388.30
78-3661-08	CZTPT366 Special Feature Control, 120 VAC 50/60 HZ (w/T366 Function Card)	459.40
78-3670-00	CPT367 Modulated LED Control (CPF303 w/T367 Function Card)	388.30
78-3700-00	CPT370 Modulated LED Control (CPF303 w/T370 Function Card)	441.90
78-3750-00	CPT375 Modulated LED Control (CPF303 w/T375 Function Card)	441.90
78-3900-00	CPT390 Modulated LED Control (CPF303 w/T390 Function Card)	431.60
78-3920-00	CPT392 Modulated LED Control (CPF303 w/T392 Function Card)	431.60
78-9360-00	A936 Special 4-Channel Control (Less Enclosure)	980.60

	78-9470-00	A947 Analog Control	367.70
	78-9470-07	A947GB Analog Control	418.20
	78-9470-09	A947E Analog Control (230 VAC)	429.50
	78-9470-10	A947IS Analog Control with Isolated Voltage Sourced Output	462.50
	78-9520-00	A952 Counting Control	704.50
	78-9520-03	A952E Counting Control	766.30
SENSING HEADS	79-3100-00	ELD31 Retro-Reflective Scanner Head	147.30
	79-3100-50	ELD31 Retro-Reflective Scanner Head with 50' Cable	197.76
	79-3101-00	ELDZ31 Scanner Head	214.24
	79-3101-12	ELDZ31 Scanner Head with 12' Cable	234.84
	79-3101-14	ELDZ31 Scanner with 14' Cable	240.00
	79-3101-50	ELDZ31 Scanner Head with 50' Cable, Retro Reflective, LED Indicator	323.40
	79-3102-00	ELD31-W Fan Beam Scanner Head	225.57
	79-3102-20	ELD31-W Fan Beam Scanner Head with 20' Cable	243.10
	79-3102-25	ELD31-W Fan Beam Scanner Head with 25' Cable	249.26
	79-3102-30	ELD31-W Fan Beam Scanner Head with 30' Cable	255.44
	79-3102-99	ELD31-W Fan Beam Scanner Head with 100' Cable	333.70
	79-9482-00	A948A-G-S Head, Bin Level	515.00
	80-3000-00	ELDY30 Proximity Scanner Head	147.30
	80-3000-15	ELDY30 Proximity Scanner Head with 15' Cable	157.60
	80-3100-00	ELDX30 Proximity Scanner Head	147.30
	80-3100-01	ELDXZ30 Remote Scanner Head with Indicator LED	158.62
	80-3200-02	ELDY32-2 Focused Spot Proximity Scanner Head	252.35
	80-6000-00	E8LP30 Proximity Scanner Head	118.45
	80-6000-01	E8LPZ30 Scanner Head with 6' Cable	129.78
	80-6000-02	E8LPZ30 Scanner Head with 10' Cable	132.87
	80-6000-08	E8LP30 Proximity Scanner Head with 8' Cable	121.54
	80-6000-10	E8LP30 Proximity Scanner Head with 10' Cable	123.60
	80-6000-12	E8LP30 Proximity Scanner Head with 12' Cable	124.63
	80-6000-20	E8LP30 Proximity Scanner Head with 20' Cable	133.90
	80-6000-25	E8LP30 Proximity Scanner Head with 25' Cable	139.05
	80-6000-50	E8LP30 Proximity Scanner Head with 50' Cable	168.92
	81-1000-00	EAP30 Through Beam Sensing Head	58.35
	81-1000-01	EAPS30 Sensing Head	66.84
	81-1000-07	EAP30 Through Beam Sensing Head with 7' Cable	59.41
	81-1000-08	EAP30 Through Beam Sensing Head with 8' Cable	60.47
	81-1000-10	EAP30 Through Beam Sensing Head with 10' Cable	62.59
	81-1000-12	EAP30 Through Beam Sensing Head with 12' Cable	66.84
	81-1000-20	EAP30 Through Beam Sensing Head with 20' Cable	74.26
	81-1000-25	EAP30 Through Beam Sensing Head with 25' Cable	79.57
	81-1000-40	EAP30 Through Beam Sensing Head with 40' Cable	96.54
	81-1000-90	EAP30 Through Beam Sensing Head with 100' Cable	167.90
	81-1001-00	A972 Sensing Head	66.84
	81-1002-00	A994 Sensing Head	66.84
	81-6600-00	E8BP30 Through Beam Sensing Head	96.54
	81-6600-12	E8BP30 Through Beam Sensing Head with 12' Cable	104.03
	81-6600-15	E8BP30 Through Beam Sensing Head with 15' Cable	108.15
	81-6600-16	E8BP30 Through Beam Sensing Head with 16' Cable	109.18
81-6600-20	E8BP30 Through Beam Sensing Head with 20' Cable	113.30	
81-6600-25	E8BP30 Through Beam Sensing Head with 25' Cable	120.50	
81-6600-30	E8BP30 Through Beam Sensing Head with 30' Cable	125.66	
81-6800-00	E8ZP30 Through Beam Ruggedized Sensing Head with 3' Cable	256.47	
81-6800-06	E8ZP30 Through Beam Ruggedized Sensing Head with 6' Cable	260.60	
81-6800-15	E8ZP30 Through Beam Ruggedized Sensing Head with 15' Cable	271.90	
81-6800-16	E8ZP30 Through Beam Ruggedized Sensing Head with 16' Cable	274.00	

81-6800-99	E8ZP30 Through Beam Ruggedized Sensing Head with 100' Cable	368.74
81-9280-00	A928A Target Circuit Board Assembly	172.00
81-9280-20	A928A Sensing Head with 20' Cable	195.70
82-1000-00	EL30 Through Beam Light Source Head	56.23
82-1000-01	ELS30 Light Source Head	61.53
82-1000-08	EL30 Through Beam Light Source Head with 8' Cable	58.35
82-1000-10	EL30 Through Beam Light Source Head with 10' Cable	59.41
82-1000-12	EL30 Through Beam Light Source Head with 12' Cable	61.53
82-1000-20	EL30 Through Beam Light Source Head with 20' Cable	72.14
82-1000-25	EL30 Through Beam Light Source Head with 25' Cable	77.45
82-1000-40	EL30 Through Beam Light Source Head with 40' Cable	94.42
82-1000-90	EL30 Through Beam Light Source Head with 100' Cable	163.77
82-1001-00	L972 Light Source Head	61.53
82-6600-00	E8B30 Through Beam Light Source Head	93.36
82-6600-01	E8BZ30 Light Source Head	109.18
82-6600-15	E8B30 Through Beam Light Source Head with 15' Cable	105.06
82-6600-16	E8B30 Through Beam Light Source Head with 16' Cable	106.10
82-6600-20	E8B30 Through Beam Light Source Head with 20' Cable	111.24
82-6600-30	8B30 Through Beam Light Source Head with 30' Cable	122.57
82-6603-10	E8BZ30 Light Source Head with 10' Cable	113.30
82-6603-12	E8BZ30 Light Source Head with 12' Cable	116.40
82-6603-16	E8BZ30 Light Source Head with 16' Cable	121.54
82-6603-20	E8BZ30 Light Source Head with 20' Cable	125.66
82-6800-00	E8Z30 Through Beam Ruggedized Light Source Head	256.47
82-6800-06	E8Z30 Through Beam Ruggedized Light Source Head with 6' Cable	260.60
82-6800-15	E8Z30 Through Beam Ruggedized Light Source Head with 15' Cable	271.90
82-6800-16	E8Z30 Through Beam Ruggedized Light Source Head with 16' Cable	274.00
82-6800-99	E8Z30 Through Beam Ruggedized Light Source Head with 100' Cable	368.74
82-9310-00	L931 Light Source Head	149.35
90-0001-00	CZPT390; Input Card, 24 Channel, USB Version	252.35
90-0002-00	CZPT390; Input Card, 24 Channel, ISA Version for PC	92.30
90-0003-00	CZPT390; Software, Counting Package, 24 Channel for USB PC Windows98	636.50
90-0004-00	CZPT390; Power Supply, 15 VDC / 1 Amp / 120 VAC Open Frame	92.30
90-0005-00	CZPT390; Interface Block, 50 Terminal to 50 Pin IDC Ribbon, Din Rail Mounted	87.00
90-0006-00	CZPT390; Cable Assembly Ribbon, 50 Conductor, 1 foot	21.48
90-0007-00	CZPT390; USB Controller Card PCI	92.30
90-0009-00	CZPT390; 24 Channel USB Counter Module	359.50